```
(Item 1 from file: 350)
DIALOG(R) File 350: Derwent WPIX
(c) 2003 Thomson Derwent. All rts. reserv.
014603998
             **Image available**
WPI Acc No: 2002-424702/200245
XRPX Acc No: NO2-333885
   Neural
            prosthesis for implantation within eye, includes
 microchannels which are located within foldable substrate sup- porting
  integrated circuits/electrode array, for expanding substrate
Patent Assignee: MASSACHUSETTS INST TECHNOLOGY (MASI
Inventor: RIZZO J; SHIRE D; WYATT J; SHIRE D B; WYATT J L
Number of Countries: 022 Number of Patents: 003
Patent Family:
              Kind
Patent No
                     Date
                             Applicat No
                                            Kind
                                                   Date
                                                            Week
US 6368349
                   20020409
                             US 2000717738
               В1
                                             Α
                                                 20001121
                                                           200245
WO 200241814
               A2 20020530
                             WO 2001US43241 A
                                                 20011120
                                                           200245
WO 200241754
               A2 20020530
                            WO 2001US43343 A
                                                 20011119
                                                           200245
Priority Applications (No Type Date): US 2000717738 A 20001121
Patent Details:
Patent No Kind Lan Pg
                         Main IPC
                                     Filing Notes
US 6368349
                     6 A61F-002/16
              В1
WO 200241814 A2 E
                       A61F-009/00
   Designated States (National): CA JP
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LU
  MC NL PT SE TR
WO 200241754 A2 E
                       A61B-000/00
   Designated States (National): CA JP
   Designated States (Regional): AT BE CH CY DE DK ES FI FR GB GR IE IT LU
   MC NL PT SE TR
Abstract (Basic): US 6368349 B1
        NOVELTY - The microchannels (18) are arranged within the foldable
    substrate for expanding the substrate. The integrated
    circuits/electrode array (16) are supported by the substrate.
                      prosthesis for implantation within eye for
        USE - Neural
    providing sufficient vision to visually handicapped people.
        ADVANTAGE - The foldable substrate is the expanded state provides
    close opposition between the electrode array and the neural tissue,
    thereby providing sufficient semiconductor area to implement the power
    control and driving functions necessary for its operation without
    cutting or dragging on the retina. The use of biocompatible materials
    and sufficiently low currents, avoids chemical and electrochemical
    toxicity. The prosthesis is designed such that it can be easily
    inserted through a narrow incision in the sclera. If the surgeon
    desired to reduce or increase the rigidity of the prosthesis, gas or
    fluid used to inflate the prosthesis is simply added or removed.
        DESCRIPTION OF DRAWING(S) - The figure shows a plan view of the
    inflatable prosthesis.
        Integrated circuits/electrode array (16)
        Microchannels (18)
        pp; 6 DwgNo 1/3
Title Terms: NEURAL; PROSTHESIS; IMPLANT; EYE; MICROCHANNEL; LOCATE; FOLD;
  SUBSTRATE; PORT; INTEGRATE; CIRCUIT; ELECTRODE; ARRAY; EXPAND; SUBSTRATE
Derwent Class: P31; P32; S05; U12; U13
International Patent Class (Main): A61B-000/00; A61F-002/16; A61F-009/00
File Segment: EPI; EngPI
```

15/5/2 (Item 2 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

013333983 \*\*Image available\*\*
WPI Acc No: 2000-505922/200045

XRAM Acc No: C00-151872 XRPX Acc No: N00-374121

Dorsonasal drug delivery devices used for intranasal delivery of composition, especially local anesthetic, for treatment of cerebral neurovascular disorders e.g. migraine

Patent Assignee: LEVIN B H (LEVI-I)

Inventor: LEVIN B H

Number of Countries: 090 Number of Patents: 003

Patent Family:

Patent No Kind Date Applicat No Kind Date WO 200044432 A1 20000803 WO 2000US2121 20000127 200045 Ά 20000127 AU 200028622 20000818 AU 200028622 Α 200057 US 6491940 B1 20021210 US 99117398 Α 19990127 200301 US 2000492946 20000127

Priority Applications (No Type Date): US 99117398 P 19990127; US 2000492946 A 20000127

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

WO 200044432 A1 E 145 A61M-031/00

Designated States (National): AE AL AM AT AU AZ BA BB BG BR BY CA CH CN CR CU CZ DE DK DM EE ES FI GB GD GE GH GM HR HU ID IL IN IS JP KE KG KP KR KZ LC LK LR LS LT LU LV MA MD MG MK MN MW MX NO NZ PL PT RO RU SD SE SG SI SK SL TJ TM TR TT TZ UA UG UZ VN YU ZA ZW

Designated States (Regional): AT BE CH CY DE DK EA ES FI FR GB GH GM GR IE IT KE LS LU MC MW NL OA PT SD SE SL SZ TZ UG ZW

AU 200028622 A

A61M-031/00 Based on patent WO 200044432

US 6491940 B1 A61F-013/00 Provisional application US 99117398

Abstract (Basic): WO 200044432 Al

NOVELTY - Dorsonasal drug delivery devices used for intranasal delivery of composition for treatment of cerebral neurovascular disorders.

DETAILED DESCRIPTION - Dorsonasal drug delivery device comprises a body with a shape conforming to the shape of the human nasal cavity. The body has a proximal end and a distal portion with a distal end. The distal portion can be urged through the nostril into the apex of the nasal cavity without injuring the patient.

INDEPENDENT CLAIMS are included for:

- (1) an anatomically adapted dorsonasal delivery nozzle with a body comprising:
- (i) a delivery lumen extending through it from its proximal end to an outlet port at its distal portion; and
- (ii) an exterior portion with: a flattened portion situated between the proximal end and the distal portion for seating the nozzle against the nasal septum; an anterior portion between the proximal end and the distal portion for seating the nozzle against the external nasal cartilage; and an indented portion between the proximal end and the distal portion for seating the nozzle against the nasal concha. When the nozzle is seated, the outlet port is situated within the nasal cavity so than an axis extending through the discharge port is offset from the apex of the nasal cavity by no more than 30 degrees;
- (2) methods for dorsonasally administration using the device or nozzle;
  - (3) manually pressure-actuated drug delivery device comprising an

intranostril applicator for insertion into a nostril, a drug container and a manually pressure-actuated actuator attached to at least the applicator or container and actuably fluidly connecting the applicator and the container. Drug from the container is provided to the applicator upon application of pressure by the patient to the actuator. The actuator is positioned with respect to the applicator so that actuating pressure must be applied in a direction which is not co-linear with the axis of the nostril (or alternatively which is not parallel to the axis of the nostril);

- (4) inhibiting cerebral neurovascular disorders by intranasal administration of a long acting local anesthetic composition further comprising an anti-epileptic, phenytoin sodium, a serotonin (especially 5-HT1F) agonist, LY334370, a sesquiterpene lactone, parthanolide or Tanacetum parthenium or an extract of it;
- (5) a systemic drug delivery device comprising a body shaped to conform to the shape of the nasal cavity, with a proximal end and a distal portion which can be urged through the nostril into the apex of the nasal cavity without injuring the patient. The body has an applicator portion comprising: a portion on which the drug is present; a portion to which the drug may be supplied; and/or a lumen through which the drug may be delivered. The applicator is adapted for location close to a highly vascularized portion of the nasal epithelium;
- (6) an anatomically adapted intranasal delivery nozzle for systemically administering a composition, comprising a body with delivery lumen extending through it and an exterior portion as in (1) (see above);
- (7) inhibiting cerebral **neurovascular** disorders comprising energizing a dorsonasally **implanted** electronic **neural** stimulator;
  - (8) a local anesthetic amide compound of formula (I); and
- (9) a kit comprising a long-acting local anesthetic composition and a dorsonasal drug delivery device for administering the composition. R=Et, Ph or 5-8C alkyl;

R'=2,6-dimethylphenyl, thiophenyl or 2,5-dimethylthiophenyl; R'', R'''=straight chain alkyl where R'' and R''' have a total of

R''+R'''=5-7 membered heteroalkyl.

ACTIVITY - Analgesic; anesthetic; antimigraine; anticonvulsant; vasotropic.

MECHANISM OF ACTION - None given.

USE - The devices are used for intranasal administration of compositions, especially local anesthetics, for treatment of cerebral neurovascular disorders. They are used in the treatment of tinnitus, cerebrovascular spasm, seizure, diseases manifested during or after acute ischemic events or neurovascular headache (especially cluster headache, headache associated with vascular disease or migraine) (all claimed). Dorsonasal administration of ropivacaine to patients experiencing head pain and/or other symptoms associated with acute migraine rapidly inhibited the migraine in 92 % of the patients with only 5.4 % rebound after 24 hours.

ADVANTAGE - The methods/devices provide extended duration of anesthesia

 ${\tt DESCRIPTION}$  OF  ${\tt DRAWING(S)}$  - The figure shows the dorsonasal delivery apparatus.

Body (100)
Outlet Port (102)
Distal End (103)
Apex (A)
Inferior Nasal Conchae (IC)
Middle Nasal Conchae (MC)
Superior Nasal Conchae (SC)
Nostril (N)

pp; 145 DwgNo 4a/7

Title Terms: DRUG; DELIVER; DEVICE; INTRANASAL; DELIVER; COMPOSITION; LOCAL

; ANAESTHETIC; TREAT; CEREBRAL; NEUROVASCULAR; DISORDER; MIGRAINE

Derwent Class: B03; B05; B07; P32; P34

International Patent Class (Main): A61F-013/00; A61M-031/00

File Segment: CPI; EngPI

## 15/5/3 (Item 3 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

011064266 \*\*Image available\*\*
WPI Acc No: 1997-042191/199704

XRAM Acc No: C97-013262 XRPX Acc No: N97-035153

Device for dilating tissue for treating hernia, installing implants, etc - reduces tissue trauma and reduces operation duration and has glove or finger sheath with balloon at distal end of finger compartment.

Patent Assignee: UNIV JEFFERSON THOMAS (UYJE-N)

Inventor: HIRSCH I H

Number of Countries: 001 Number of Patents: 001

Patent Family:

Patent No Kind Date Applicat No Kind Date Week
US 5582620 A 19961210 US 95527955 A 19950914 199704 B

Priority Applications (No Type Date): US 95527955 A 19950914

Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes

US 5582620 A 14 A61B-017/00

Abstract (Basic): US 5582620 A

A device for radially distending a soft tissue space has a, pref silicone, glove (50) or finger sheath with a compartment (54) for at least one finger and a distention balloon (62) at the distal end of the compartment. In some aspects a fluid flow assembly (40) **inflates** /deflates the balloon. Also claimed is a method of manipulating an internal bodily area of a patient using the device as above.

USE - Dilation of soft tissue during operations for treating hernias, penile implants, breast augmentation, inserting cardiac pacemaker, inserting neuro -stimulator implants, laparoscopic surgery, etc.

ADVANTAGE - Shortens operation duration and reduces tissue trauma. Dwg.6/12

Title Terms: DEVICE; DILATED; TISSUE; TREAT; HERNIA; INSTALLATION; IMPLANT; REDUCE; TISSUE; TRAUMA; REDUCE; OPERATE; DURATION; GLOVE; FINGER; SHEATH; BALLOON; DISTAL; END; FINGER; COMPARTMENT

Derwent Class: A96; P21; P31

International Patent Class (Main): A61B-017/00

International Patent Class (Additional): A41D-019/00

File Segment: CPI; EngPI

## 15/5/4 (Item 4 from file: 350)

DIALOG(R) File 350: Derwent WPIX

(c) 2003 Thomson Derwent. All rts. reserv.

009324467 \*\*Image available\*\*
WPI Acc No: 1993-017931/199302
Related WPI Acc No: 1998-240615

XRPX Acc No: N93-013701

Implantable appts. for treatment of brain tumour - uses distensible balloon which enables inherent natural compliance of fluid to conform to cavity outline

Patent Assignee: ONCOCATH INC (ONCO-N); PROXIMA THERAPEUTICS INC (PROX-N); WILLIAMS J A (WILL-I)

Inventor: WILLIAMS J A

Number of Countries: 017 Number of Patents: 013

Patent Family:

Ρā	tent Family	:							
Ρā	tent No	Kind	Date	App	olicat No	Kind	Date	Week	
WC	9222350	A1	19921223	WO	92US4141	A	19920515	199302	В
CI	2068281	A	19921215	CA	2068281	Α	19920508	199310	
ΕF	586567	A1	19940316	EΡ	92913085	A	19920515	199411	
				WO	92US4141	Α	19920515		
JI	6508278	W	19940922	WO	92US4141	Α	19920515	199442	
					93500858	Α	19920515		
US	5429582	A	19950704	US	91715923	Α	19910614	199532	
ΕI	586567	A4	19960228		92913085	A		199641	
US	5611767	A	19970318	US	91715923	Α	19910614	199717	
				US	94307165	Α	19940916		
CI	2068281	С	19971202	CA	2068281	Α	19920508	199809	
ΕI	970724	A2	20000112	EΡ	92913085	Α	19920515	200008	
				EΡ	99119829	A	19920515		
US	6022308	A	20000208	US	91715923	Α	19910614	200014	
				US	94307165	A	19940916		
				US	97818966	Α	19970314		
ΕF	586567	В1	20000726	ΕP	92913085	А	19920515	200036	
	· .			WO	92US4141	Α	19920515		
				EΡ	99119829	A	19920515		
US	6083148	А	20000704	US	91715923	Α	19910614	200036	
				US	94307165	Α	19940916		
				US	97818966	A	19970314		
				US	98158682	Α	19980922		
DE	69231294	E	20000831	DE	631294	A	19920515	200050	
				ΕP	92913085	A	19920515		
				WO	92US4141	A	19920515		

Priority Applications (No Type Date): US 91715923 A 19910614; US 94307165 A 19940916; US 97818966 A 19970314; US 98158682 A 19980922

Cited Patents: 1.Jnl.Ref; US 3324847; US 4417576; US 4816016; US 5106360; DE 3725691; EP 205384; EP 340881; GB 2105201; US 3872856; US 4292960; US 4763642; US 5125888; WO 9004365; WO 9105528; WO 9210932; WO 9309724 Patent Details:

Patent No Kind Lan Pg Main IPC Filing Notes WO 9222350 A1 E 41 A61N-005/02

Designated States (Regional): AT BE CH DE DK ES FR GB GR IT LU MC NL SE

Cont of application US 91715923

Cont of patent US 5429582

CA 2068281 A61B-017/00 Α

Designated States (National): JP

EP 586567 A1 E Based on patent WO 9222350

Designated States (Regional): DE FR GB IT JP 6508278 W A61M-037/00 Based on patent WO 9222350

US 5429582 Α

US 5611767

CA 2068281 A61B-017/00 EP 970724 A2 E A61N-005/02 Div ex application EP 92913085

Div ex patent EP 586567

Designated States (Regional): DE FR GB IT

12

US 6022308 A61N-005/02 Cont of application US 91715923 Div ex application US 94307165 Cont of patent US 5429582 Div ex patent US 5611767

EP 586567 B1 E A61N-005/02 Related to application EP 99119829
Related to patent EP 970724
Based on patent WO 9222350
Designated States (Regional): DE FR GB IT
US 6083148 A A61N-005/02 Cont of application US 91715923
Div ex application US 94307165
Cont of application US 97818966
Cont of patent US 5429582

Cont of application US 9781898 Cont of patent US 5429582 Div ex patent US 5611767 Cont of patent US 6022308

DE 69231294 E A61N-005/02 Based on patent EP 586567 Based on patent WO 9222350

Abstract (Basic): WO 9222350 A

The appts. comprises an implantable device (26) provided for treatment of tissue surrounding a cavity (24) left by surgical removal of a brain tumour and includes an **inflatable** balloon (28) which is connected to a fluid receptacle (30) by a catheter (32).

During treatment, radioactive or chemotherapy fluid is injected through a hypodermic needle into the subcutaneously implanted receptacle (30) through an overlying self-sealing dome of silicone elastomer material. The fluid flows through the catheter to **inflate** the balloon so that it fills the cavity and places treatment fluids close to the surrounding brain tissue (16).

ADVANTAGE - Removes risk of infection caused by multiple catheter treatment. Design allows simultaneous treatment applications using cost saving liq. isotopes.

Dwg.3/10

Title Terms: IMPLANT; APPARATUS; TREAT; BRAIN; TUMOUR; DISTEND; BALLOON; ENABLE; INHERENT; NATURAL; COMPLIANT; FLUID; CONFORM; CAVITY; OUTLINE Derwent Class: P31; P32; P34; S05

International Patent Class (Main): A61B-017/00; A61M-037/00; A61N-005/02
International Patent Class (Additional): A61F-007/12; A61N-005/00;
 A61N-005/04; A61N-005/10

File Segment: EPI; EngPI

```
Set
        Items
                Description
S1
        57013
                NEURO? OR BRAIN? OR NEURA?
S2
       138720
                PROSTHES?S OR IMPLANT?
S3
       138722
                NEUROPROSTHES?S OR S2
S4
        53680
                INFLAT? OR BLOW? ?(2N)UP
S5
          621
                S3 AND S4
S6
          350
                S3(S)S4 AND IC=(A61B OR A61N OR A61F)
S7
          256
                S6 NOT PY>2000
S8
          307
                S1(3N)S2 OR NEUROPROSTHES?S
S9
                S8(5N)S4
S10
                S8(S)S4
S11
            3
                S8 AND S4
S12
          401
                S1(5N)S2 OR NEUROPROSTHES?S
S13
            4
                S12 AND S4
S14
            4
                IDPAT (sorted in duplicate/non-duplicate order)
S15
                IDPAT (primary/non-duplicate records only)
? show files
File 347: JAPIO Oct 1976-2003/Jan(Updated 030506)
         (c) 2003 JPO & JAPIO
File 350: Derwent WPIX 1963-2003/UD, UM &UP=200333
         (c) 2003 Thomson Derwent
File 371:French Patents 1961-2002/BOPI 200209
         (c) 2002 INPI. All rts. reserv.
```